

SECTION VIII

Rules for Construction of Pressure Vessels

2023

ASME Boiler and
Pressure Vessel Code
An International Code

Division 2
Alternative Rules

Markings such as “ASME,” “ASME Standard,” or any other marking including “ASME,” ASME logos, or the ASME Single Certification Mark shall not be used on any item that is not constructed in accordance with all of the applicable requirements of the Code or Standard. Use of the ASME Single Certification Mark requires formal ASME certification; if no certification program is available, such ASME markings may not be used. (For Certification and Accreditation Programs, see <https://www.asme.org/certification-accreditation>.)

Items produced by parties not formally possessing an ASME Certificate may not be described, either explicitly or implicitly, as ASME certified or approved in any code forms or other document.

AN INTERNATIONAL CODE

2023 ASME Boiler & Pressure Vessel Code

2023 Edition

July 1, 2023

VIII

RULES FOR CONSTRUCTION OF PRESSURE VESSELS

Division 2

Alternative Rules

ASME Boiler and Pressure Vessel Committee
on Pressure Vessels



The American Society of
Mechanical Engineers

Two Park Avenue • New York, NY • 10016 USA

Date of Issuance: July 1, 2023

This international code or standard was developed under procedures accredited as meeting the criteria for American National Standards and it is an American National Standard. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not “approve,” “certify,” “rate,” or “endorse” any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark



ASME Single Certification Mark

“ASME” and the above ASME symbols are registered trademarks of The American Society of Mechanical Engineers.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

Library of Congress Catalog Card Number: 56-3934

Adopted by the Council of The American Society of Mechanical Engineers, 1914; latest edition 2023.

The American Society of Mechanical Engineers
Two Park Avenue, New York, NY 10016-5990

Copyright © 2023 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

TABLE OF CONTENTS

List of Sections	xxvii
Foreword	xxviii
Statement of Policy on the Use of the ASME Single Certification Mark and Code Authorization in Advertising	xxx
Statement of Policy on the Use of ASME Marking to Identify Manufactured Items	xxx
Personnel	xxxix
Correspondence With the Committee	liii
Summary of Changes	lv
Cross-Referencing in the ASME BPVC	lx
Part 1	
General Requirements	1
1.1 General	1
1.1.1 Introduction	1
1.1.2 Organization	1
1.1.3 Definitions	1
1.2 Scope	1
1.2.1 Overview	1
1.2.2 Additional Requirements for Very High Pressure Vessels	2
1.2.3 Geometric Scope of This Division	2
1.2.4 Classifications Outside the Scope of this Division	3
1.2.5 Combination Units	3
1.2.6 Field Assembly of Vessels	3
1.2.7 Overpressure Protection	4
1.3 Standards Referenced by This Division	4
1.4 Units of Measurement	4
1.5 Tolerances	5
1.6 Technical Inquiries	5
1.7 Tables	5
Annex 1-B	
Definitions	7
1-B.1 Introduction	7
1-B.2 Definition of Terms	7
Annex 1-C	
Guidance for the Use of U.S. Customary and SI Units in the ASME Boiler and Pressure Vessel Codes	9
1-C.1 Use of Units in Equations	9
1-C.2 Guidelines Used to Develop SI Equivalents	9
1-C.3 Soft Conversion Factors	10
1-C.4 Tables	10
Part 2	
Responsibilities and Duties	15
2.1 General	15
2.1.1 Introduction	15
2.1.2 Definitions	15
2.1.3 Code Reference	15
2.2 User Responsibilities	15
2.2.1 General	15
2.2.2 Multiple Identical Vessels	15
2.2.3 User's Design Specification	15
2.3 Manufacturer's Responsibilities	17
2.3.1 Code Compliance	17
2.3.2 Materials Selection	17

2.3.3	Manufacturer's Design Report	18
2.3.4	Manufacturer's Data Report	19
2.3.5	Manufacturer's Construction Records	19
2.3.6	Quality Control System	19
2.3.7	Manufacturer's Design Personnel	19
2.3.8	Certification of Subcontracted Services	19
2.3.9	Inspection and Examination	19
2.3.10	Application of Certification Mark	19
2.4	The Inspector	20
2.4.1	Identification of Inspector	20
2.4.2	Inspector Qualification	20
2.4.3	Inspector's Duties	20
Annex 2-A	Guide for Certifying a User's Design Specification	21
2-A.1	General	21
2-A.2	Certification of the User's Design Specification	21
2-A.3	Tables	22
Annex 2-B	Guide for Certifying a Manufacturer's Design Report	23
2-B.1	General	23
2-B.2	Certification of Manufacturer's Design Report by a Certifying Engineer	23
2-B.3	Certification of a Manufacturer's Design Report by an Engineer or a Designer	23
2-B.4	Manufacturer's Design Report Certification Form	24
2-B.5	Tables	24
Annex 2-C	Report Forms and Maintenance of Records	25
2-C.1	Manufacturer's Data Reports	25
2-C.2	Manufacturer's Partial Data Reports	26
2-C.3	Maintenance of Records	26
Annex 2-D	Guide for Preparing Manufacturer's Data Reports	28
2-D.1	Introduction	28
2-D.2	Tables	28
Annex 2-E	Quality Control System	42
2-E.1	General	42
2-E.2	Outline of Features Included in the Quality Control System	42
2-E.3	Authority and Responsibility	42
2-E.4	Organization	43
2-E.5	Drawings, Design Calculations, and Specification Control	43
2-E.6	Material Control	43
2-E.7	Examination and Inspection Program	43
2-E.8	Correction of Nonconformities	43
2-E.9	Welding	43
2-E.10	Nondestructive Examination	43
2-E.11	Heat Treatment	43
2-E.12	Calibration of Measurement and Test Equipment	44
2-E.13	Records Retention	44
2-E.14	Sample Forms	44
2-E.15	Inspection of Vessels and Vessel Parts	44
2-E.16	Inspection of Pressure Relief Valves	44
Annex 2-F	Contents and Method of Stamping	45
2-F.1	Required Marking for Vessels	45
2-F.2	Required Marking for Combination Units	45
2-F.3	Application of Stamp	46
2-F.4	Part Marking	46
2-F.5	Application of Markings	46
2-F.6	Duplicate Nameplate	47

2-F.7	Size and Arrangements of Characters for Nameplate and Direct Stamping of Vessels	48
2-F.8	Attachment of Nameplate or Tag	48
2-F.9	Figures	49
Annex 2-G	Obtaining and Using Certification Mark Stamps	50
2-G.1	Certification Mark	50
2-G.2	Application for Certificate of Authorization	50
2-G.3	Issuance of Authorization	50
2-G.4	Designated Oversight	50
2-G.5	Quality Control System	50
2-G.6	Evaluation of the Quality Control System	50
2-G.7	Code Construction Before Receipt of Certificate of Authorization	50
Annex 2-I	Establishing Governing Code Editions and Cases for Pressure Vessels and Parts	51
2-I.1	General	51
2-I.2	Construction	51
2-I.3	Materials	51
Annex 2-J	Qualifications and Requirements for Certifying Engineers and Designers	52
2-J.1	Introduction	52
2-J.2	Competency Requirements	52
2-J.3	Qualification Requirements	52
2-J.4	Certification Requirements	54
Part 3	Materials Requirements	55
3.1	General Requirements	55
3.2	Materials Permitted for Construction of Vessel Parts	55
3.2.1	Materials for Pressure Parts	55
3.2.2	Materials for Attachments to Pressure Parts	55
3.2.3	Welding Materials	56
3.2.4	Dissimilar Materials	56
3.2.5	Product Specifications	56
3.2.6	Certification	57
3.2.7	Product Identification and Traceability	58
3.2.8	Prefabricated or Preformed Pressure Parts Furnished Without a Code Stamp	59
3.2.9	Definition of Product Form Thickness	61
3.2.10	Product Form Tolerances	61
3.2.11	Purchase Requirements	62
3.2.12	Material Identified With or Produced to a Specification Not Permitted by This Division	62
3.3	Supplemental Requirements for Ferrous Materials	62
3.3.1	General	62
3.3.2	Chemistry Requirements	62
3.3.3	Ultrasonic Examination of Plates	62
3.3.4	Ultrasonic Examination of Forgings	62
3.3.5	Magnetic Particle and Liquid Penetrant Examination of Forgings	63
3.3.6	Integral and Weld Metal Overlay Clad Base Metal	63
3.3.7	Clad Tubesheets	64
3.4	Supplemental Requirements for Cr-Mo Steels	64
3.4.1	General	64
3.4.2	Postweld Heat Treatment	64
3.4.3	Test Specimen Heat Treatment	64
3.4.4	Welding Procedure Qualifications and Welding Consumables Testing	65
3.4.5	Toughness Requirements	65
3.5	Supplemental Requirements for Q&T Steels With Enhanced Tensile Properties	65
3.5.1	General	65
3.5.2	Parts for Which Q&T Steels May Be Used	66
3.5.3	Structural Attachments	66

3.6	Supplemental Requirements for Nonferrous Materials	66
3.6.1	General	66
3.6.2	Ultrasonic Examination of Plates	66
3.6.3	Ultrasonic Examination of Forgings	66
3.6.4	Liquid Penetrant Examination of Forgings	67
3.6.5	Clad Plate and Products	67
3.6.6	Clad Tubesheets	67
3.7	Supplemental Requirements for Bolting	67
3.7.1	General	67
3.7.2	Examination of Bolts, Studs, and Nuts	67
3.7.3	Threading and Machining of Studs	68
3.7.4	Use of Washers	68
3.7.5	Ferrous Bolting	68
3.7.6	Nonferrous Bolting	69
3.7.7	Materials for Ferrous and Nonferrous Nuts of Special Design	69
3.8	Supplemental Requirements for Castings	69
3.8.1	General	69
3.8.2	Requirements for Ferrous Castings	70
3.8.3	Requirements for Nonferrous Castings	71
3.9	Supplemental Requirements for Hubs Machined From Plate	72
3.9.1	General	72
3.9.2	Material Requirements	72
3.9.3	Examination Requirements	72
3.9.4	Data Reports and Marking	72
3.10	Material Test Requirements	72
3.10.1	General	72
3.10.2	Requirements for Sample Test Coupons	72
3.10.3	Exemptions from Requirement of Sample Test Coupons	73
3.10.4	Procedure for Obtaining Test Specimens and Coupons	73
3.10.5	Procedure for Heat Treating Test Specimens from Ferrous Materials	74
3.10.6	Test Coupon Heat Treatment for Nonferrous Materials	75
3.11	Material Toughness Requirements	75
3.11.1	General	75
3.11.2	Carbon and Low Alloy Steels Except Bolting	75
3.11.3	Quenched and Tempered Steels	80
3.11.4	High Alloy Steels Except Bolting	80
3.11.5	Nonferrous Alloys	83
3.11.6	Bolting Materials	83
3.11.7	Toughness Testing Procedures	83
3.11.8	Impact Testing of Welding Procedures and Test Plates of Ferrous Materials	85
3.12	Allowable Design Stresses	87
3.13	Strength Parameters	87
3.14	Physical Properties	87
3.15	Design Fatigue Curves	87
3.16	Design Values for Temperatures Colder Than -30°C (-20°F)	88
3.17	Nomenclature	88
3.18	Definitions	88
3.19	Tables	89
3.20	Figures	98
Annex 3-A	Allowable Design Stresses	124
3-A.1	Allowable Stress Basis — All Materials Except Bolting	124
3-A.2	Allowable Stress Basis — Bolting Materials	125
3-A.3	Tables	125
Annex 3-B	Requirements for Material Procurement	147

Annex 3-D	Strength Parameters	148
3-D.1	Yield Strength	148
3-D.2	Ultimate Tensile Strength	148
3-D.3	Stress Strain Curve	148
3-D.4	Cyclic Stress Strain Curve	149
3-D.5	Tangent Modulus	150
3-D.6	Nomenclature	150
3-D.7	Tables	151
Annex 3-E	Physical Properties	155
3-E.1	Young's Modulus	155
3-E.2	Thermal Expansion Coefficient	155
3-E.3	Thermal Conductivity	155
3-E.4	Thermal Diffusivity	155
Annex 3-F	Design Fatigue Curves	156
3-F.1	Smooth Bar Design Fatigue Curves	156
3-F.2	Welded Joint Design Fatigue Curves	158
3-F.3	Nomenclature	159
3-F.4	Tables	159
3-F.5	Figures	161
Part 4	Design by Rule Requirements	170
4.1	General Requirements	170
4.1.1	Scope	170
4.1.2	Minimum Thickness Requirements	170
4.1.3	Material Thickness Requirements	171
4.1.4	Corrosion Allowance in Design Equations	171
4.1.5	Design Basis	171
4.1.6	Design Allowable Stress	173
4.1.7	Materials in Combination	173
4.1.8	Combination Units	173
4.1.9	Cladding and Weld Overlay	174
4.1.10	Internal Linings	174
4.1.11	Flanges and Pipe Fittings	174
4.1.12	Vessels in Elevated Temperature Service	175
4.1.13	Nomenclature	175
4.1.14	Tables	176
4.2	Design Rules for Welded Joints	177
4.2.1	Scope	177
4.2.2	Weld Category	177
4.2.3	Weld Joint Type	177
4.2.4	Weld Joint Efficiency	177
4.2.5	Types of Joints Permitted	177
4.2.6	Nomenclature	182
4.2.7	Tables	183
4.2.8	Figures	202
4.3	Design Rules for Shells Under Internal Pressure	206
4.3.1	Scope	206
4.3.2	Shell Tolerances	206
4.3.3	Cylindrical Shells	206
4.3.4	Conical Shells	206
4.3.5	Spherical Shells and Hemispherical Heads	207
4.3.6	Torispherical Heads	207
4.3.7	Ellipsoidal Heads	209
4.3.8	Local Thin Areas	209
4.3.9	Drilled Holes Not Penetrating Through the Vessel Wall	210

4.3.10	Combined Loadings and Allowable Stresses	210
4.3.11	Cylindrical-to-Conical Shell Transition Junctions Without a Knuckle	212
4.3.12	Cylindrical-to-Conical Shell Transition Junctions With a Knuckle	214
4.3.13	Nomenclature	216
4.3.14	Tables	219
4.3.15	Figures	229
4.4	Design of Shells Under External Pressure and Allowable Compressive Stresses	235
4.4.1	Scope	235
4.4.2	Design Factors	236
4.4.3	Material Properties	236
4.4.4	Shell Tolerances	237
4.4.5	Cylindrical Shell	238
4.4.6	Conical Shell	241
4.4.7	Spherical Shell and Hemispherical Head	242
4.4.8	Torispherical Head	242
4.4.9	Ellipsoidal Head	242
4.4.10	Local Thin Areas	242
4.4.11	Drilled Holes Not Penetrating Through the Vessel Wall	243
4.4.12	Combined Loadings and Allowable Compressive Stresses	243
4.4.13	Cylindrical-to-Conical Shell Transition Junctions Without a Knuckle	248
4.4.14	Cylindrical-to-Conical Shell Transition Junctions With a Knuckle	248
4.4.15	Nomenclature	248
4.4.16	Tables	251
4.4.17	Figures	252
4.5	Design Rules for Openings in Shells and Heads	259
4.5.1	Scope	259
4.5.2	Dimensions and Shape of Nozzles	259
4.5.3	Method of Nozzle Attachment	259
4.5.4	Nozzle Neck Minimum Thickness Requirements	260
4.5.5	Radial Nozzle in a Cylindrical Shell	260
4.5.6	Hillside Nozzle in a Cylindrical Shell	264
4.5.7	Nozzle in a Cylindrical Shell Oriented at an Angle from the Longitudinal Axis	264
4.5.8	Radial Nozzle in a Conical Shell	264
4.5.9	Nozzle in a Conical Shell	265
4.5.10	Radial Nozzle in a Spherical Shell or Formed Head	265
4.5.11	Hillside or Perpendicular Nozzle in a Spherical Shell or Formed Head	270
4.5.12	Circular Nozzles in a Flat Head	270
4.5.13	Spacing Requirements for Nozzles	271
4.5.14	Strength of Nozzle Attachment Welds	272
4.5.15	Local Stresses in Shells, Formed Heads, and Nozzles from External Loads on Nozzles	274
4.5.16	Inspection Openings	275
4.5.17	Openings Subject to Axial Compression, External Pressure, and the Combination Thereof	276
4.5.18	Nomenclature	276
4.5.19	Tables	279
4.5.20	Figures	280
4.6	Design Rules for Flat Heads	292
4.6.1	Scope	292
4.6.2	Flat Unstayed Circular Heads	292
4.6.3	Flat Unstayed Noncircular Heads	293
4.6.4	Integral Flat Head With a Centrally Located Opening	294
4.6.5	Nomenclature	295
4.6.6	Tables	296
4.6.7	Figures	301
4.7	Design Rules for Spherically Dished Bolted Covers	301
4.7.1	Scope	301
4.7.2	Type A Head Thickness Requirements	302

4.7.3	Type B Head Thickness Requirements	302
4.7.4	Type C Head Thickness Requirements	303
4.7.5	Type D Head Thickness Requirements	304
4.7.6	Nomenclature	306
4.7.7	Tables	308
4.7.8	Figures	308
4.8	Design Rules for Quick-Actuating (Quick-Opening) Closures	310
4.8.1	Scope	310
4.8.2	Definitions	310
4.8.3	General Design Requirements	311
4.8.4	Specific Design Requirements	311
4.8.5	Alternative Designs for Manually Operated Closures	311
4.8.6	Supplementary Requirements for Quick-Actuating (Quick-Opening) Closures	311
4.9	Design Rules for Braced and Stayed Surfaces	312
4.9.1	Scope	312
4.9.2	Required Thickness of Braced and Stayed Surfaces	312
4.9.3	Required Dimensions and Layout of Staybolts and Stays	312
4.9.4	Requirements for Welded-in Staybolts and Welded Stays	312
4.9.5	Nomenclature	312
4.9.6	Tables	313
4.9.7	Figures	314
4.10	Design Rules for Ligaments	315
4.10.1	Scope	315
4.10.2	Ligament Efficiency	315
4.10.3	Ligament Efficiency and the Weld Joint Factor	316
4.10.4	Nomenclature	316
4.10.5	Figures	316
4.11	Design Rules for Jacketed Vessels	320
4.11.1	Scope	320
4.11.2	Design of Jacketed Shells and Jacketed Heads	320
4.11.3	Design of Closure Member of Jacket to Vessel	320
4.11.4	Design of Penetrations Through Jackets	321
4.11.5	Design of Partial Jackets	321
4.11.6	Design of Half-Pipe Jackets	321
4.11.7	Nomenclature	322
4.11.8	Tables	323
4.11.9	Figures	333
4.12	Design Rules for Noncircular Vessels	335
4.12.1	Scope	335
4.12.2	General Design Requirements	336
4.12.3	Requirements for Vessels With Reinforcement	337
4.12.4	Requirements for Vessels With Stays	338
4.12.5	Requirements for Rectangular Vessels With Small Aspect Ratios	339
4.12.6	Weld Joint Factors and Ligament Efficiency	339
4.12.7	Design Procedure	341
4.12.8	Noncircular Vessels Subject to External Pressure	342
4.12.9	Rectangular Vessels With Two or More Compartments of Unequal Size	343
4.12.10	Fabrication	343
4.12.11	Nomenclature	343
4.12.12	Tables	345
4.12.13	Figures	368
4.13	Design Rules for Layered Vessels	382
4.13.1	Scope	382
4.13.2	Definitions	382
4.13.3	General	382
4.13.4	Design for Internal Pressure	382

4.13.5	Design for External Pressure	382
4.13.6	Design of Welded Joints	382
4.13.7	Nozzles and Nozzle Reinforcement	383
4.13.8	Flat Heads	384
4.13.9	Bolted and Studded Connections	384
4.13.10	Attachments and Supports	384
4.13.11	Vent Holes	384
4.13.12	Shell Tolerances	385
4.13.13	Nomenclature	386
4.13.14	Figures	388
4.14	Evaluation of Vessels Outside of Tolerance	401
4.14.1	Shell Tolerances	401
4.14.2	Local Thin Areas	401
4.14.3	Marking and Reports	401
4.14.4	Figures	401
4.15	Design Rules for Supports and Attachments	402
4.15.1	Scope	402
4.15.2	Design of Supports	402
4.15.3	Saddle Supports for Horizontal Vessels	402
4.15.4	Skirt Supports for Vertical Vessels	407
4.15.5	Lug and Leg Supports	407
4.15.6	Nomenclature	408
4.15.7	Tables	410
4.15.8	Figures	411
4.16	Design Rules for Flanged Joints	419
4.16.1	Scope	419
4.16.2	Design Considerations	419
4.16.3	Flange Types	419
4.16.4	Flange Materials	420
4.16.5	Gasket Materials	420
4.16.6	Design Bolt Loads	420
4.16.7	Flange Design Procedure	421
4.16.8	Split Loose Type Flanges	422
4.16.9	Noncircular Shaped Flanges With a Circular Bore	423
4.16.10	Flanges With Nut Stops	423
4.16.11	Joint Assembly Procedures	423
4.16.12	Evaluation of External Forces and Moments for Flanged Joints With Standard Flanges	423
4.16.13	Nomenclature	423
4.16.14	Tables	425
4.16.15	Figures	437
4.17	Design Rules for Clamped Connections	445
4.17.1	Scope	445
4.17.2	Design Considerations	445
4.17.3	Flange Materials	445
4.17.4	Design Bolt Loads	445
4.17.5	Flange and Clamp Design Procedure	446
4.17.6	Nomenclature	448
4.17.7	Tables	451
4.17.8	Figures	453
4.18	Design Rules for Shell-and-Tube Heat Exchangers	454
4.18.1	Scope	454
4.18.2	Terminology	454
4.18.3	General Design Considerations	455
4.18.4	General Conditions of Applicability for Tubesheets	455
4.18.5	Tubesheet Flanged Extension	456
4.18.6	Tubesheet Characteristics	457

4.18.7	Rules for the Design of U-Tube Tubesheets	458
4.18.8	Rules for the Design of Fixed Tubesheets	463
4.18.9	Rules for the Design of Floating Tubesheets	476
4.18.11	Bellows Expansion Joints	486
4.18.12	Flexible Shell Element Expansion Joints	486
4.18.13	Pressure Test Requirements	487
4.18.14	Heat Exchanger Marking and Reports	487
4.18.15	Nomenclature	488
4.18.16	Tables	493
4.18.17	Figures	498
4.19	Design Rules for Bellows Expansion Joints	512
4.19.1	Scope	512
4.19.2	Conditions of Applicability	512
4.19.3	Design Considerations	514
4.19.4	Materials	516
4.19.5	Design of U-Shaped Unreinforced Bellows	516
4.19.6	Design of U-Shaped Reinforced Bellows	519
4.19.7	Design of Toroidal Bellows	519
4.19.8	Bellows Subjected to Axial, Lateral, or Angular Displacements	520
4.19.9	Pressure Test Design Requirements	523
4.19.10	Marking and Reports	523
4.19.11	Nomenclature	523
4.19.12	Tables	525
4.19.13	Figures	535
4.19.14	Specification Sheets	546
4.20	Design Rules for Flexible Shell Element Expansion Joints	548
4.20.1	Scope	548
4.20.2	Conditions of Applicability	548
4.20.3	Design Considerations	548
4.20.4	Materials	548
4.20.5	Design	548
4.20.6	Marking and Reports	549
4.20.7	Nomenclature	549
4.20.8	Figures	550
4.21	Tube-to-Tubesheet Joint Strength	551
4.21.1	Scope	551
4.21.2	Joint Strength by Calculation	553
4.21.3	Joint Strength Factors	555
4.21.4	Nomenclature	557
4.21.5	Tables	559
4.21.6	Figures	560
Annex 4-A	563
Annex 4-B	Guide for the Design and Operation of Quick-Actuating (Quick-Opening) Closures ...	564
4-B.1	Introduction	564
4-B.2	Responsibilities	564
4-B.3	Design	564
4-B.4	Installation	565
4-B.5	Inspection	565
4-B.6	Training	566
4-B.7	Administrative Controls	566
Annex 4-D	Guidance to Accommodate Loadings Produced by Deflagration	567
4-D.1	Scope	567
4-D.2	General	567
4-D.3	Design Limitations	567
4-D.4	Design Criteria	567

4-D.5	References	568
Annex 4-E	Tube Expanding Procedures and Qualification	569
4-E.1	General	569
4-E.2	Scope	569
4-E.3	Terms and Definitions	569
4-E.4	Tube Expanding Procedure Specification (TEPS)	570
4-E.5	Tube Expanding Procedure Qualification	570
4-E.6	Tube Expanding Performance Qualification (TEPQ)	571
4-E.7	Tube Expanding Variables	571
Part 5	Design by Analysis Requirements	580
5.1	General Requirements	580
5.1.1	Scope	580
5.1.2	Numerical Analysis	580
5.1.3	Loading Conditions	581
5.2	Protection Against Plastic Collapse	581
5.2.1	Overview	581
5.2.2	Elastic Stress Analysis Method	582
5.2.3	Limit-Load Analysis Method	584
5.2.4	Elastic-Plastic Stress Analysis Method	585
5.3	Protection Against Local Failure	586
5.3.1	Overview	586
5.3.2	Elastic Analysis — Triaxial Stress Limit	586
5.3.3	Elastic-Plastic Analysis — Local Strain Limit	586
5.4	Protection Against Collapse From Buckling	587
5.4.1	General	587
5.4.2	Buckling Analysis — Method A	588
5.4.3	Buckling Analysis — Method B	588
5.5	Protection Against Failure From Cyclic Loading	589
5.5.1	Overview	589
5.5.2	Screening Criteria for Fatigue Analysis	590
5.5.3	Fatigue Assessment — Elastic Stress Analysis and Equivalent Stresses	592
5.5.4	Fatigue Assessment — Elastic-Plastic Stress Analysis and Equivalent Strains	594
5.5.5	Fatigue Assessment of Welds — Elastic Analysis and Structural Stress	595
5.5.6	Ratcheting Assessment — Elastic Stress Analysis	598
5.5.7	Ratcheting Assessment — Elastic-Plastic Stress Analysis	600
5.6	Supplemental Requirements for Stress Classification in Nozzle Necks	600
5.7	Supplemental Requirements for Bolts	601
5.7.1	Design Requirements	601
5.7.2	Service Stress Requirements	601
5.7.3	Fatigue Assessment of Bolts	601
5.8	Supplemental Requirements for Perforated Plates	601
5.9	Supplemental Requirements for Layered Vessels	601
5.10	Experimental Stress Analysis	602
5.11	Fracture Mechanics Evaluations	602
5.12	Definitions	602
5.13	Nomenclature	604
5.14	Tables	609
5.15	Figures	619
Annex 5-A	Linearization of Stress Results for Stress Classification	622
5-A.1	Scope	622
5-A.2	General	622
5-A.3	Selection of Stress Classification Lines	622
5-A.4	Stress Integration Method	623
5-A.5	Structural Stress Method Based on Nodal Forces	624
5-A.6	Structural Stress Method Based on Stress Integration	625

5-A.7	Nomenclature	625
5-A.8	Tables	627
5-A.9	Figures	629
Annex 5-B	Histogram Development and Cycle Counting for Fatigue Analysis	640
5-B.1	General	640
5-B.2	Definitions	640
5-B.3	Histogram Development	640
5-B.4	Cycle Counting Using the Rainflow Method	641
5-B.5	Cycle Counting Using Max-Min Cycle Counting Method	641
5-B.6	Nomenclature	642
Annex 5-C	Alternative Plasticity Adjustment Factors and Effective Alternating Stress for Elastic Fatigue Analysis	643
5-C.1	Scope	643
5-C.2	Definitions	643
5-C.3	Effective Alternating Stress for Elastic Fatigue Analysis	643
5-C.4	Nomenclature	646
Annex 5-D	Stress Indices	648
5-D.1	General	648
5-D.2	Stress Indices for Radial Nozzles	648
5-D.3	Stress Indices for Laterals	649
5-D.4	Nomenclature	650
5-D.5	Tables	650
5-D.6	Figures	652
Annex 5-E	Design Methods for Perforated Plates Based on Elastic Stress Analysis	655
5-E.1	Overview	655
5-E.2	Stress Analysis of the Equivalent Solid Plate	655
5-E.3	Stiffness Effects of the Tubes	656
5-E.4	Effective Material Properties for the Equivalent Solid Plate	656
5-E.5	Pressure Effects in Tubesheet Perforations	657
5-E.6	Protection Against Plastic Collapse	657
5-E.7	Protection Against Cyclic Loading	658
5-E.8	Nomenclature	660
5-E.9	Tables	663
5-E.10	Figures	683
Annex 5-F	Experimental Stress and Fatigue Analysis	688
5-F.1	Overview	688
5-F.2	Strain Measurement Test Procedure for Stress Components	688
5-F.3	Protection Against Cyclic Loading	689
5-F.4	Nomenclature	691
5-F.5	Figures	693
Part 6	Fabrication Requirements	695
6.1	General Fabrication Requirements	695
6.1.1	Materials	695
6.1.2	Forming	696
6.1.3	Base Metal Preparation	698
6.1.4	Fitting and Alignment	698
6.1.5	Cleaning of Surfaces to Be Welded	699
6.1.6	Alignment Tolerances for Edges to Be Butt Welded	699
6.2	Welding Fabrication Requirements	700
6.2.1	Welding Processes	700
6.2.2	Welding Qualifications and Records	700
6.2.3	Precautions to Be Taken Before Welding	702
6.2.4	Specific Requirements for Welded Joints	702

6.2.5	Miscellaneous Welding Requirements	703
6.2.6	Summary of Joints Permitted and Their Examination	705
6.2.7	Repair of Weld Defects	705
6.2.8	Special Requirements for Welding Test Plates for Titanium Materials	705
6.3	Special Requirements for Tube-to-Tubesheet Welds	705
6.3.1	Material Requirements	705
6.3.2	Holes in Tubesheets	705
6.3.3	Weld Design and Joint Preparation	705
6.3.4	Qualification of Welding Procedure	706
6.4	Preheating and Heat Treatment of Weldments	706
6.4.1	Requirements for Preheating of Welds	706
6.4.2	Requirements for Postweld Heat Treatment	706
6.4.3	Procedures for Postweld Heat Treatment	708
6.4.4	Operation of Postweld Heat Treatment	709
6.4.5	Postweld Heat Treatment After Repairs	709
6.4.6	Postweld Heat Treatment of Nonferrous Materials	711
6.5	Special Requirements for Clad or Weld Overlay Linings, and Lined Parts	711
6.5.1	Materials	711
6.5.2	Joints in Corrosion Resistant Clad or Weld Metal Overlay Linings	712
6.5.3	Welding Procedures	712
6.5.4	Methods to Be Used in Attaching Applied Linings	712
6.5.5	Postweld Heat Treatment of Clad and Lined Weldments	712
6.5.6	Requirements for Base Material With Corrosion Resistant Integral or Weld Metal Overlay Cladding	712
6.5.7	Examination Requirements	712
6.5.8	Inspection and Tests	712
6.5.9	Stamping and Reports	713
6.6	Special Requirements for Tensile Property Enhanced Q&T Ferritic Steels	713
6.6.1	General	713
6.6.2	Marking on Plates and Other Materials	713
6.6.3	Requirements for Heat Treating After Forming	713
6.6.4	Minimum Thickness after Forming	713
6.6.5	Welding Requirements	713
6.6.6	Postweld Heat Treatment	715
6.6.7	Heat Treatment Certification Tests	716
6.6.8	Examination Requirements	716
6.6.9	Inspection and Tests	716
6.6.10	Stamping and Reports	717
6.7	Special Requirements for Forged Fabrication	717
6.7.1	General	717
6.7.2	Ultrasonic Examination	717
6.7.3	Toughness Requirements	717
6.7.4	Tolerances on Cylindrical Forgings	717
6.7.5	Methods of Forming Forged Heads	718
6.7.6	Heat Treatment Requirements for Forged Fabrication	718
6.7.7	Welding for Fabrication	719
6.7.8	Repair of Defects in Material	719
6.7.9	Threaded Connections to Vessel Walls, Forged Necks, and Heads	720
6.7.10	Inspection, Examination, and Testing	720
6.7.11	Stamping and Reports for Forged Vessels	721
6.7.12	Overpressure Protection	721
6.8	Special Fabrication Requirements for Layered Vessels	721
6.8.1	General	721
6.8.2	General Fabrication Requirements	721
6.8.3	Welding Fabrication Requirements	721
6.8.4	Welding Qualification and Records	721

6.8.5	Specific Requirements for Welded Joints	722
6.8.6	Nondestructive Examination of Welded Joints	722
6.8.7	Welded Joint Efficiency	722
6.8.8	Contact between Layers	722
6.8.9	Vent Holes	722
6.8.10	Heat Treatment of Weldments	723
6.9	Special Fabrication Requirements for Expansion Joints	723
6.9.1	Bellows Expansion Joints	723
6.9.2	Flexible Shell Element Expansion Joints	723
6.10	Nomenclature	724
6.11	Tables	725
6.12	Figures	746
Annex 6-A	Positive Material Identification Practice	751
Part 7	Inspection and Examination Requirements	759
7.1	General	759
7.2	Responsibilities and Duties	759
7.2.1	Responsibilities and Duties of the Manufacturer and Inspector	759
7.2.2	Access for Inspector	759
7.2.3	Notification of Work Progress	759
7.3	Qualification of Nondestructive Examination Personnel	759
7.4	Examination of Welded Joints	759
7.4.1	Nondestructive Examination Requirements	759
7.4.2	Examination Groups for Pressure Vessels	759
7.4.3	Extent of Nondestructive Examination	760
7.4.4	Selection of Examination Method for Internal (Volumetric) Flaws	761
7.4.5	Selection of Examination Method for Surface Flaws	761
7.4.6	Surface Condition and Preparation	761
7.4.7	Supplemental Examination for Cyclic Service	761
7.4.8	Examination and Inspection of Vessels With Protective Linings and Cladding	761
7.4.9	Examination and Inspection of Tensile Property Enhanced Q&T Vessels	762
7.4.10	Examination and Inspection of Integrally Forged Vessels	762
7.4.11	Examination and Inspection of Fabricated Layered Vessels	763
7.4.12	Examination and Inspection of Expansion Joints	765
7.5	Examination Method and Acceptance Criteria	765
7.5.1	General	765
7.5.2	Visual Examination	765
7.5.3	Radiographic Examination	766
7.5.4	Ultrasonic Examination	767
7.5.5	Ultrasonic Examination Used in Lieu of Radiographic Examination	768
7.5.6	Magnetic Particle Examination (MT)	769
7.5.7	Liquid Penetrant Examination (PT)	769
7.5.8	Eddy Current Surface Examination Procedure Requirements (ET)	770
7.5.9	Evaluation and Retest for Partial Examination	772
7.6	Final Examination of Vessel	772
7.6.1	Surface Examination after Hydrotest	772
7.6.2	Inspection of Lined Vessel Interior after Hydrotest	772
7.7	Leak Testing	772
7.8	Acoustic Emission	772
7.9	Tables	773
7.10	Figures	784
Annex 7-A	Responsibilities and Duties for Inspection and Examination Activities	802
7-A.1	General	802
7-A.2	Manufacturer's Responsibility	802
7-A.3	Inspector's Responsibility	802
7-A.4	Tables	804

Part 8	Pressure Testing Requirements	807
8.1	General Requirements	807
8.1.1	Selection of Pressure Test Methods	807
8.1.2	Precautions	807
8.1.3	Requirements for Vessels of Specific Construction	808
8.1.4	Pressure Gages	809
8.1.5	Test Gaskets and Fasteners	809
8.2	Testing	809
8.2.1	Test Pressure	809
8.2.2	Preparation for Testing	810
8.2.3	Test Fluid	810
8.2.4	Test Procedures	810
8.2.5	Test Inspection and Acceptance Criteria	810
8.3	Alternative Pressure Testing	811
8.3.1	Hydrostatic–Pneumatic Tests	811
8.3.2	Leak Tightness Testing	811
8.4	Documentation	811
8.5	Nomenclature	811
Part 9	Pressure Vessel Overpressure Protection	812
9.1	General Requirements	812
9.2	Responsibilities	812
9.3	Determination of Pressure-Relieving Requirements	812
9.4	Overpressure Limits	813
9.5	Permitted Pressure Relief Devices and Methods	814
9.6	Pressure Settings and Performance Requirements	815
9.7	Installation	815
Annex 9-A	Best Practices for the Installation and Operation of Pressure Relief Devices	817
9-A.1	Introduction	817
9-A.2	Provisions for the Installation of Stop Valves in the Relief Path	817
9-A.3	Inlet Piping Pressure Drop for Pressure Relief Valves	817
9-A.4	Discharge Lines from Pressure Relief Devices	817
9-A.5	Cautions Regarding Pressure Relief Device Discharge into a Common Header	818
9-A.6	Pressure Differentials (Operating Margin) for Pressure Relief Valves	818
9-A.7	Pressure Relief Valve Orientation	819
9-A.8	Reaction Forces and Externally Applied Piping Loads	819
9-A.9	Sizing of Pressure Relief Devices for Fire Conditions	819
9-A.10	Use of Pressure-Indicating Devices to Monitor Pressure Differential	820
Annex 9-B	Guide to the Relocation of Overpressure Protection Requirements	821
FIGURES		
2-F.1	Form of Stamping	49
3.1	Cr–Mo Heat Treatment Criteria	98
3.2	Typical Locations for Tensile Specimens	99
3.3	Charpy V-Notch Impact Test Requirements for Full-Size Specimens for Carbon and Low Alloy Steels as a Function of the Minimum Specified Yield Strength — Welded Parts Not Subject to PWHT	100
3.3M	Charpy V-Notch Impact Test Requirements for Full-Size Specimens for Carbon and Low Alloy Steels as a Function of the Minimum Specified Yield Strength — Welded Parts Not Subject to PWHT	101
3.4	Charpy V-Notch Impact Test Requirements for Full-Size Specimens for Carbon and Low Alloy Steels as a Function of the Minimum Specified Yield Strength — Welded Parts Subject to PWHT or Nonwelded Parts	102
3.4M	Charpy V-Notch Impact Test Requirements for Full-Size Specimens for Carbon and Low Alloy Steels as a Function of the Minimum Specified Yield Strength — Welded Parts Subject to PWHT or Nonwelded Parts	103
3.5	Illustration of Lateral Expansion in a Broken Charpy V-Notch Specimen	104
3.6	Lateral Expansion Requirements	105

3.6M	Lateral Expansion Requirements	105
3.7	Impact Test Exemption Curves — Welded Parts Not Subject to PWHT	106
3.7M	Impact Test Exemption Curves — Welded Parts Not Subject to PWHT	108
3.8	Impact Test Exemption Curves — Welded Parts Subject to PWHT and Nonwelded Parts	110
3.8M	Impact Test Exemption Curves — Welded Parts Subject to PWHT and Nonwelded Parts	112
3.9	Typical Vessel Details Illustrating the Governing Thickness	114
3.10	Typical Vessel Details Illustrating the Governing Thickness	115
3.11	Typical Vessel Details Illustrating the Governing Thickness	116
3.12	Reduction in the MDMT Without Impact Testing — Parts Not Subject to PWHT	117
3.12M	Reduction in the MDMT Without Impact Testing — Parts Not Subject to PWHT	118
3.13	Reduction in the MDMT Without Impact Testing — Parts Subject to PWHT and Nonwelded Parts	119
3.13M	Reduction in the MDMT Without Impact Testing — Parts Subject to PWHT and Nonwelded Parts	120
3.14	Orientation and Location of Transverse Charpy V-Notch Specimens	121
3.15	Weld Metal Delta Ferrite Content	122
3.16	HAZ Impact Specimen Removal	122
3.17	Location of HAZ Specimen Removal	123
3-F.1	Fatigue Curve for Carbon, Low Alloy, Series 4XX High Alloy, and High Tensile Strength Steels for Temperatures Not Exceeding 700°F — $\sigma_{uts} \leq 80$ ksi	161
3-F.1M	Fatigue Curve for Carbon, Low Alloy, Series 4XX High Alloy, and High Tensile Strength Steels for Temperatures Not Exceeding 371°C — $\sigma_{uts} \leq 552$ MPa	161
3-F.2	Fatigue Curve for Carbon, Low Alloy, Series 4XX High Alloy, and High Tensile Strength Steels for Temperatures Not Exceeding 700°F — $\sigma_{uts} = 115$ ksi to 130 ksi	162
3-F.2M	Fatigue Curve for Carbon, Low Alloy, Series 4XX High Alloy, and High Tensile Strength Steels for Temperatures Not Exceeding 371°C — $\sigma_{uts} = 793$ MPa to 892 MPa	162
3-F.3	Fatigue Curve for Series 3XX High Alloy Steels, Austenitic-Ferritic Duplex Stainless Steels, Nickel-Chromium-Iron Alloy, Nickel-Iron-Chromium Alloy, and Nickel-Copper Alloy for Temperatures Not Exceeding 800°F	163
3-F.3M	Fatigue Curve for Series 3XX High Alloy Steels, Austenitic-Ferritic Duplex Stainless Steels, Nickel-Chromium-Iron Alloy, Nickel-Iron-Chromium Alloy, and Nickel-Copper Alloy for Temperatures Not Exceeding 427°C	163
3-F.4	Fatigue Curve for Wrought 70-30 Copper-Nickel for Temperatures Not Exceeding 700°F — $\sigma_{ys} \leq 18$ ksi	164
3-F.4M	Fatigue Curve for Wrought 70-30 Copper-Nickel for Temperatures Not Exceeding 371°C — $\sigma_{ys} \leq 134$ MPa	164
3-F.5	Fatigue Curve for Wrought 70-30 Copper-Nickel for Temperatures Not Exceeding 700°F — $\sigma_{ys} = 30$ ksi	165
3-F.5M	Fatigue Curve for Wrought 70-30 Copper-Nickel for Temperatures Not Exceeding 371°C — $\sigma_{ys} = 207$ MPa	165
3-F.6	Fatigue Curve for Wrought 70-30 Copper-Nickel for Temperatures Not Exceeding 700°F — $\sigma_{ys} = 45$ ksi	166
3-F.6M	Fatigue Curve for Wrought 70-30 Copper-Nickel for Temperatures Not Exceeding 371°C — $\sigma_{ys} = 310$ MPa	166
3-F.7	Fatigue Curve for Nickel-Chromium-Molybdenum-Iron Alloys X, G, C-4, and C-276 for Temperatures Not Exceeding 800°F	167
3-F.7M	Fatigue Curve for Nickel-Chromium-Molybdenum-Iron Alloys X, G, C-4, and C-276 for Temperatures Not Exceeding 427°C	167
3-F.8	Fatigue Curve for High Strength Bolting for Temperatures Not Exceeding 700°F — Maximum Nominal Stress $\leq 2.7S_M$	168
3-F.8M	Fatigue Curve for High Strength Bolting for Temperatures Not Exceeding 371°C — Maximum Nominal Stress $\leq 2.7S_M$	168
3-F.9	Fatigue Curve for High Strength Bolting for Temperatures Not Exceeding 700°F — Maximum Nominal Stress $> 2.7S_M$	169
3-F.9M	Fatigue Curve for High Strength Bolting for Temperatures Not Exceeding 371°C — Maximum Nominal Stress $> 2.7S_M$	169
4.2.1	Weld Joint Locations Typical of Categories A, B, C, D, E, and F	202
4.2.2	Some Bracket, Lug, and Stiffener Attachment Weld Details	203

4.2.3	Some Acceptable Methods of Attaching Stiffening Rings	204
4.2.4	Some Acceptable Skirt Weld Details	205
4.3.1	Conical Shell	229
4.3.2	Offset Transition Detail	229
4.3.3	Torispherical Head of Uniform Thickness	230
4.3.4	Torispherical Head of Different Thickness of Dome and Knuckle	230
4.3.5	Ellipsoidal Head	230
4.3.6	Local Thin Band in a Cylindrical Shell	231
4.3.7	Shells Subjected to Supplemental Loadings	232
4.3.8	Conical Transition Details	233
4.3.9	Reinforcement Requirements for Conical Transition Junction	234
4.3.10	Parameters for Knuckle and Flare Design	235
4.4.1	Lines of Support or Unsupported Length for Typical Vessel Configurations	252
4.4.2	Lines of Support or Unsupported Length for Unstiffened and Stiffened Cylindrical Shells	253
4.4.3	Stiffener Ring Parameters	254
4.4.4	Various Arrangements of Stiffening Rings for Cylindrical Vessels Subjected to External Pressure	255
4.4.5	Maximum Arc of Shell Left Unsupported Because of a Gap in the Stiffening Ring of a Cylindrical Shell Under External Pressure	256
4.4.6	Lines of Support or Unsupported Length for Unstiffened and Stiffened Conical Shells	257
4.4.7	Lines of Support or Unsupported Length for Unstiffened and Stiffened Conical Shell Transitions With or Without a Knuckle	258
4.5.1	Nomenclature for Reinforced Openings	280
4.5.2	Nomenclature for Variable Thickness Openings	281
4.5.3	Radial Nozzle in a Cylindrical Shell	282
4.5.4	Hillside Nozzle in a Cylindrical Shell	283
4.5.5	Nozzle in a Cylindrical Shell Oriented at an Angle From the Longitudinal Axis	284
4.5.6	Radial Nozzle in a Conical Shell	285
4.5.7	Nozzle in a Conical Shell Oriented Perpendicular to the Longitudinal Axis	286
4.5.8	Nozzle in a Conical Shell Oriented Parallel to the Longitudinal Axis	287
4.5.9	Radial Nozzle in a Formed Head	288
4.5.10	Hillside or Perpendicular Nozzle in a Spherical Shell or Formed Head	289
4.5.11	Example of Two Adjacent Nozzle Openings	290
4.5.12	Example of Three Adjacent Nozzle Openings	290
4.5.13	Metal Area Definition for A_2 With Variable Thickness of Set-in Nozzles	291
4.5.14	Metal Area Definition for A_2 With Variable Thickness of Set-on Nozzles	292
4.6.1	Integral Flat Head With a Large Central Opening	301
4.7.1	Type A Dished Cover With a Bolting Flange	308
4.7.2	Type B Spherically Dished Cover With a Bolting Flange	309
4.7.3	Type C Spherically Dished Cover With a Bolting Flange	309
4.7.4	Type D Spherically Dished Cover With a Bolting Flange	310
4.7.5	Type D Head Geometry for Alternative Design Procedure	310
4.9.1	Typical Forms of Welded Staybolts	314
4.10.1	Example of Tube Spacing With the Pitch of Holes Equal in Every Row	316
4.10.2	Example of Tube Spacing With the Pitch of Holes Unequal in Every Second Row	316
4.10.3	Example of Tube Spacing With the Pitch of Holes Varying in Every Second and Third Row	317
4.10.4	Example of Tube Spacing With the Tube Holes on Diagonal Lines	317
4.10.5	Diagram for Determining the Efficiency of Longitudinal and Diagonal Ligaments Between Openings in Cylindrical Shells	318
4.10.6	Diagram for Determining the Equivalent Efficiency of Diagonal Ligaments Between Openings in Cylindrical Shells	319
4.11.1	Types of Jacketed Vessels	333
4.11.2	Types of Partial Jackets	334
4.11.3	Half Pipe Jackets	335
4.12.1	Type 1 Noncircular Vessels	368
4.12.2	Type 2 Noncircular Vessels	369
4.12.3	Type 3 Noncircular Vessels	370

4.12.4	Type 4 Noncircular Vessels	371
4.12.5	Type 5 Noncircular Vessels	372
4.12.6	Type 6 Noncircular Vessels	373
4.12.7	Type 6 Noncircular Vessels	374
4.12.8	Type 7 Noncircular Vessels	375
4.12.9	Type 8 Noncircular Vessels	376
4.12.10	Type 9 Noncircular Vessels	377
4.12.11	Type 10 Noncircular Vessels	378
4.12.12	Type 11 Noncircular Vessels	379
4.12.13	Type 12 Noncircular Vessels	380
4.12.14	Multi-Diameter Holes	380
4.12.15	Rectangular Vessels With Multiple Compartments	381
4.13.1	Some Acceptable Layered Shell Types	388
4.13.2	Some Acceptable Layered Head Types	389
4.13.3	Transitions of Layered Shell Sections	390
4.13.4	Some Acceptable Welded Joints of Layered-to-Layered and Layered-to-Solid Sections	391
4.13.5	Some Acceptable Solid Head Attachments to Layered Shell Sections	392
4.13.6	Some Acceptable Flat Heads and Tubesheets With Hubs Joining Layered Shell Sections	395
4.13.7	Some Acceptable Flanges for Layered Shells	396
4.13.8	Some Acceptable Layered Head Attachments to Layered Shells	397
4.13.9	Some Acceptable Nozzle Attachments to Layered Shell Sections	398
4.13.10	Some Acceptable Supports for Layered Vessels	400
4.13.11	Gap Between Vessel Layers	401
4.14.1	LTA Blend Radius Requirements	401
4.15.1	Horizontal Vessel on Saddle Supports	411
4.15.2	Cylindrical Shell Without Stiffening Rings	412
4.15.3	Cylindrical Shell With Stiffening Rings in the Plane of the Saddle	413
4.15.4	Cylindrical Shell With Stiffening Rings on Both Sides of the Saddle	414
4.15.5	Locations of Maximum Longitudinal Normal Stress and Shear Stress in the Cylinder	415
4.15.6	Locations of Maximum Circumferential Normal Stresses in the Cylinder	416
4.15.7	Skirt Attachment Location on Vertical Vessels	417
4.15.8	A Typical Hot-Box Arrangement for Skirt Supported Vertical Vessels	418
4.16.1	Integral Type Flanges	437
4.16.2	Integral Type Flanges With a Hub	438
4.16.3	Integral Type Flanges With Nut Stops — Diameter Less Than or Equal to 450 mm (18 in.)	439
4.16.4	Integral Type Flanges With Nut Stops — Diameter Greater Than 450 mm (18 in.)	440
4.16.5	Loose Type Flanges	441
4.16.6	Loose-Type Lap Joint Type Flanges	442
4.16.7	Reverse Flanges	443
4.16.8	Location of Gasket Reaction Load Diameter	444
4.17.1	Typical Hub and Clamp Configuration	453
4.17.2	Typical Clamp Lugs Configurations	454
4.18.1	Terminology of Heat Exchanger Components	498
4.18.2	Tubesheet Geometry	499
4.18.3	Typical Untubed Lane Configurations	500
4.18.4	U-Tube Tubesheet Configurations	501
4.18.5	Fixed Tubesheet Configurations	502
4.18.6	$Z_d, Z_v, Z_w,$ and Z_m Versus X_a	503
4.18.7	F_m Versus X_a ($0.0 \leq Q_3 \leq 0.8$)	504
4.18.8	F_m Versus X_a ($-0.8 \leq Q_3 \leq 0.0$)	505
4.18.9	Different Shell Thickness and/or Material Adjacent to the Tubesheets	505
4.18.10	Floating Tubesheet Heat Exchangers	506
4.18.11	Stationary Tubesheet Configurations	507
4.18.12	Floating Tubesheet Configurations	508
4.18.14	Tube Layout Perimeter	509
4.18.15	Integral Channels	510

4.18.16	Some Representative Configurations Describing the Minimum Required Thickness of the Tubesheet Flanged Extension, h_r	511
4.18.17	Kettle Shell	511
4.18.18	Location of Tubesheet Metal Temperature, T' , at the Rim	512
4.18.19	Nozzles Adjacent to Tubesheets	513
4.19.1	Typical Bellows Expansion Joints	535
4.19.2	Starting Points for the Measurement of the Length of Shell on Each Side of Bellows	536
4.19.3	Possible Convolution Profile in Neutral Position	537
4.19.4	Dimensions to Determine I_{xx}	537
4.19.5	Bellows Subjected to an Axial Displacement x	538
4.19.6	Bellows Subjected to a Lateral Deflection y	538
4.19.7	Bellows Subjected to an Angular Rotation θ	539
4.19.8	Cyclic Displacements	540
4.19.9	Cyclic Displacements	540
4.19.10	Cyclic Displacements	541
4.19.11	Some Typical Expansion Bellows Attachment Welds	542
4.19.12	C_p Versus C_1 and C_2	543
4.19.13	C_f Versus C_1 and C_2	544
4.19.14	C_d Versus C_1 and C_2	545
4.20.1	Typical Flexible Shell Element Expansion Joints	550
4.20.2	Typical Nozzle Attachment Details Showing Minimum Length of Straight Flange or Outer Shell Element	551
4.21.1	Tube-to-Tubesheet Joints Acceptable to Determine Joint Strength by Calculation	560
4.21.2	Some Acceptable Types of Tube-to-Tubesheet Joints	561
4.21.3	Typical Test Fixtures for Expanded or Welded Tube-to-Tubesheet Joints	562
5.1	Stress Categories and Limits of Equivalent Stress	619
5.2	Example of Girth Weld Used to Tie Layers for Solid Wall Equivalence	620
5.3	Example of Circumferential Butt Weld Attachment Between Layered Sections in Zone of Discontinuity	620
5.4	An Example of Circle Weld Used to Tie Layers for Solid Wall Equivalence	621
5-A.1	Stress Classification Line (SCL) and Stress Classification Plane (SCP)	629
5-A.2	Stress Classification Lines (SCLs)	630
5-A.3	Stress Classification Line Orientation and Validity Guidelines	631
5-A.4	Computation of Membrane and Bending Equivalent Stresses by the Stress Integration Method Using the Results From a Finite Element Model With Continuum Elements	632
5-A.5	Continuum Finite Element Model Stress Classification Line for the Structural Stress Method	633
5-A.6	Computation of Membrane and Bending Equivalent Stresses by the Structural Stress Method Using Nodal Force Results From a Finite Element Model With Continuum Elements	634
5-A.7	Processing Nodal Force Results With the Structural Stress Method Using the Results From a Finite Element Model With Three-Dimensional Second Order Continuum Elements	635
5-A.8	Processing Structural Stress Method Results for a Symmetric Structural Stress Range	636
5-A.9	Computation of Membrane and Bending Equivalent Stresses by the Structural Stress Method Using the Results From a Finite Element Model With Shell Elements	637
5-A.10	Processing Nodal Force Results With the Structural Stress Method Using the Results From a Finite Element Model With Three-Dimensional Second Order Shell Elements	638
5-A.11	Element Sets for Processing Finite Element Nodal Stress Results With the Structural Stress Method Based on Stress Integration	639
5-D.1	Direction of Stress Components	652
5-D.2	Nozzle Nomenclature and Dimensions	653
5-D.3	Nomenclature and Loading for Laterals	654
5-E.1	Perforated Plate Geometry Details	683
5-E.2	Perforated Plate Geometry Details	684
5-E.3	Boundary Conditions for Numerical Analysis	685
5-E.4	Stress Orientations for Perforated Plate With Triangular Pattern Holes	686
5-E.5	Stress Orientations for Perforated Plate With Square Pattern Holes	687
5-F.1	Construction of the Testing Parameter Ratio Diagram	693

5-F.2	Construction of the Testing Parameter Ratio Diagram for Accelerated Tests	694
6.1	Peaking Height at a Category A Joint	746
6.2	Weld Toe Dressing	746
6.3	Forged Bottle Construction	747
6.4	Solid-to-Layer and Layer-to-Layer Test Plates	748
6.5	Tensile Specimens for Layered Vessel Construction	749
6.6	Toroidal Bellows Manufacturing Tolerances	750
7.1	Examination of Layered Vessels	784
7.2	Examination of Layered Vessels	785
7.3	Aligned Rounded Indications	786
7.4	Groups of Aligned Rounded Indications	786
7.5	Charts for 3 mm ($\frac{1}{8}$ in.) to 6 mm ($\frac{1}{4}$ in.) Wall Thickness, Inclusive	787
7.6	Charts for Over 6 mm ($\frac{1}{4}$ in.) to 10 mm ($\frac{3}{8}$ in.) Wall Thickness, Inclusive	787
7.7	Charts for Over 10 mm ($\frac{3}{8}$ in.) to 19 mm ($\frac{3}{4}$ in.) Wall Thickness, Inclusive	788
7.8	Charts for Over 19 mm ($\frac{3}{4}$ in.) to 50 mm (2 in.) Wall Thickness, Inclusive	789
7.9	Charts for Over 50 mm (2 in.) to 100 mm (4 in.) Wall Thickness, Inclusive	790
7.10	Charts for Over 100 mm (4 in.) Wall Thickness	791
7.11	Flaw Classification of Single Indication	792
7.12	Surface Flaw Acceptance Criteria	793
7.13	Subsurface Flaw Acceptance Criteria	795
7.14	Multiple Planar Flaws Oriented in a Plane Normal to the Pressure-Retaining Surface	797
7.15	Surface and Subsurface Flaws	798
7.16	Nonaligned Coplanar Flaws in a Plane Normal to the Pressure-Retaining Surface	799
7.17	Multiple Aligned Planar Flaws	800
7.18	Dimension <i>a</i> for Partial Penetration and Fillet Welds	801
7.19	Dimensions <i>a</i> and <i>d</i> for a Partial Penetration Corner Weld	801

TABLES

1.1	Year of Acceptable Edition of Referenced Standards in This Division	5
1.2	Standard Units for Use in Equations	6
1-C.1	Typical Size or Thickness Conversions for Fractions	10
1-C.2	Typical Size or Thickness Conversions	10
1-C.3	Typical Size or Length Conversions	11
1-C.4	Typical Nominal Pipe Size Conversions	11
1-C.5	Typical Area Conversions	12
1-C.6	Typical Volume Conversions	12
1-C.7	Typical Pressure Conversions	12
1-C.8	Typical Strength Conversions	13
1-C.9	Typical Temperature Conversions	13
1-C.10	Conversion Factors	14
2-A.1	Typical Certification of Compliance of the User's Design Specification	22
2-B.1	Typical Certification of Compliance of the Manufacturer's Design Report	24
2-D.1	Instructions for the Preparation of Manufacturer's Data Reports	28
2-D.2	Supplementary Instructions for the Preparation of Manufacturer's Data Reports for Layered Vessels	30
2-J.1	Design Activities Requiring a Certifying Engineer	53
3.1	Material Specifications	89
3.2	Composition Requirements for 2.25Cr-1Mo-0.25V Weld Metal	89
3.3	Toughness Requirements for 2.25Cr-1Mo Materials	90
3.4	Low Alloy Bolting Materials for Use With Flanges Designed to 4.16	90
3.5	High Alloy Bolting Materials for Use With Flanges Designed to 4.16	91
3.6	Aluminum Alloy, Copper, and Copper Alloy Bolting Materials for Use With Flanges Designed to 4.16	91
3.7	Nickel and Nickel Alloy Bolting Materials for Use With Flanges Designed to 4.16	92
3.8	Bolting Materials for Use With Flanges Designed to Part 5	92
3.9	Maximum Severity Levels for Castings With a Thickness of Less Than 50 mm (2 in.)	92

3.10	Maximum Severity Levels for Castings With a Thickness of 50 mm to 305 mm (2 in. to 12 in.)	93
3.11	Charpy Impact Test Temperature Reduction Below the Minimum Design Metal Temperature	93
3.12	Charpy V-Notch Impact Test Requirements for Full-Size Specimens for Carbon and Low Alloy Steels as a Function of the Minimum Specified Yield Strength — Welded Parts Not Subject to PWHT (See Figures 3.3 and 3.3M)	93
3.13	Charpy V-Notch Impact Test Requirements for Full-Size Specimens for Carbon and Low Alloy Steels as a Function of the Minimum Specified Yield Strength — Welded Parts Subject to PWHT or Nonwelded Parts (See Figures 3.4 and 3.4M)	94
3.14	Impact Test Exemption Curves — Parts Not Subject to PWHT (See Figures 3.7 and 3.7M)	95
3.15	Impact Test Exemption Curves — Parts Subject to PWHT and Nonwelded Parts (See Figures 3.8 and 3.8M)	95
3.16	Reduction in the MDMT, T_R , Without Impact Testing — Parts Not Subject to PWHT (See Figures 3.12 and 3.12M)	96
3.17	Reduction in the MDMT, T_R , Without Impact Testing — Parts Subject to PWHT and Nonwelded Parts (See Figures 3.13 and 3.13M)	97
3.18	Required HAZ Impact Test Specimen Set Removal	97
3-A.1	Carbon Steel and Low Alloy Materials	125
3-A.2	Quenched and Tempered High Strength Steels	130
3-A.3	High Alloy Steel	131
3-A.4	Aluminum Alloys	137
3-A.5	Copper Alloys	138
3-A.6	Nickel and Nickel Alloys	139
3-A.7	Titanium and Titanium Alloys	141
3-A.8	Ferrous Bolting Materials for Design in Accordance With Part 4	142
3-A.9	Aluminum Alloy and Copper Alloy Bolting Materials for Design in Accordance With Part 4	144
3-A.10	Nickel and Nickel Alloy Bolting Materials for Design in Accordance With Part 4	144
3-A.11	Bolting Materials for Design in Accordance With Part 5	145
3-D.1	Stress–Strain Curve Parameters	151
3-D.2	Cyclic Stress–Strain Curve Data	151
3-D.2M	Cyclic Stress–Strain Curve Data	153
3-F.1	Smooth Bar Fatigue Curve Stress Amplitude Correction Equations	159
3-F.2	Coefficients for the Welded Joint Fatigue Curves	160
3-F.2M	Coefficients for the Welded Joint Fatigue Curves	160
4.1.1	Design Loads	176
4.1.2	Design Load Combinations	176
4.1.3	Load Factor, β , and Pressure Test Factors, β_T , γ_{min} , and $\gamma_{St/S}$, for Class 1 and Class 2 Construction and Hydrostatic or Pneumatic Testing	177
4.2.1	Definition of Weld Categories	183
4.2.2	Definition of Weld Joint Types	184
4.2.3	Definition of Material Types for Welding and Fabrication Requirements	184
4.2.4	Some Acceptable Weld Joints for Shell Seams	184
4.2.5	Some Acceptable Weld Joints for Formed Heads	186
4.2.6	Some Acceptable Weld Joints for Unstayed Flat Heads, Tubesheets Without a Bolting Flange, and Side Plates of Rectangular Pressure Vessels	188
4.2.7	Some Acceptable Weld Joints With Butt Weld Hubs	189
4.2.8	Some Acceptable Weld Joints for Attachment of Tubesheets With a Bolting Flange	190
4.2.9	Some Acceptable Weld Joints for Flange Attachments	190
4.2.10	Some Acceptable Full Penetration Welded Nozzle Attachments Not Readily Radiographable	193
4.2.11	Some Acceptable Pad Welded Nozzle Attachments and Other Connections to Shells	195
4.2.12	Some Acceptable Fitting-Type Welded Nozzle Attachments and Other Connections to Shells	197
4.2.13	Some Acceptable Welded Nozzle Attachments That Are Readily Radiographable	198
4.2.14	Some Acceptable Partial Penetration Nozzle Attachments	200
4.2.15	Nozzle Necks Attached to Piping of Lesser Wall Thickness	201
4.2.16	Corner Welds for Flexible Shell Element Expansion Joints	201
4.3.1	Large End Junction	219
4.3.2	Small End Junction	220

4.3.3	Pressure Applied to Large End Junction	221
4.3.4	Equivalent Line Load Applied to Large End Junction	222
4.3.5	Pressure Applied to Small End Junction	223
4.3.6	Equivalent Line Load Applied to Small End Junction	224
4.3.7	Stress Calculations — Knuckle — Large End Cylinder	225
4.3.8	Stress Calculations — Flare — Small End Cylinder	227
4.4.1	Maximum Metal Temperature for Compressive Stress Rules	251
4.4.2	Algorithm for Computation of Predicted Inelastic Buckling Stress, F_{ic}	251
4.5.1	Minimum Number of Pipe Threads for Connections	279
4.5.2	Nozzle Minimum Thickness Requirements	279
4.6.1	C Parameter for Flat Head Designs	296
4.6.2	Junction Stress Equations for an Integral Flat Head With Opening	300
4.6.3	Stress Acceptance Criteria for an Integral Flat Head With Opening	300
4.7.1	Junction Stress Equations and Acceptance Criteria for a Type D Head	308
4.9.1	Stress Factor for Braced and Stayed Surfaces	313
4.11.1	Design of Closure Member of Jacket to Shell	323
4.11.2	Design of Jacket Penetration Details	329
4.11.3	Coefficients for Eq. (4.11.5)	331
4.12.1	Noncircular Vessel Configurations and Types	345
4.12.2	Stress Calculations and Acceptance Criteria for Type 1 Noncircular Vessels (Rectangular Cross Section)	346
4.12.3	Stress Calculations and Acceptance Criteria for Type 2 Noncircular Vessels (Rectangular Cross Section With Unequal Side Plate Thicknesses)	347
4.12.4	Stress Calculations and Acceptance Criteria for Type 3 Noncircular Vessels (Chamfered Rectangular Cross Section)	349
4.12.5	Stress Calculations and Acceptance Criteria for Type 4 Noncircular Vessels (Reinforced Rectangular Cross Section)	350
4.12.6	Stress Calculations and Acceptance Criteria for Type 5 Noncircular Vessels (Reinforced Rectangular Cross Section With Chamfered Corners)	352
4.12.7	Stress Calculations and Acceptance Criteria for Type 6 Noncircular Vessels (Reinforced Octagonal Cross Section With Chamfered Corners)	354
4.12.8	Stress Calculations and Acceptance Criteria for Type 7 Noncircular Vessels (Rectangular Cross Section With Single-Stay Plate or Multiple Bars)	359
4.12.9	Stress Calculations and Acceptance Criteria for Type 8 Noncircular Vessels (Rectangular Cross Section With Double-Stay Plate or Multiple Bars)	360
4.12.10	Stress Calculations and Acceptance Criteria for Type 9 Noncircular Vessels (Obround Cross Section)	361
4.12.11	Stress Calculations and Acceptance Criteria for Type 10 Noncircular Vessels (Reinforced Obround Cross Section)	362
4.12.12	Stress Calculations and Acceptance Criteria for Type 11 Noncircular Vessels (Obround Cross Section With Single-Stay Plate or Multiple Bars)	364
4.12.13	Stress Calculations and Acceptance Criteria for Type 12 Noncircular Vessels (Circular Cross Section With Single-Stay Plate)	365
4.12.14	Effective Width Coefficient	366
4.12.15	Compressive Stress Calculations	367
4.15.1	Stress Coefficients for Horizontal Vessels on Saddle Supports	410
4.16.1	Gasket Factors for Determining the Bolt Loads	425
4.16.2	Recommended Minimum Gasket Contact Width	427
4.16.3	Effective Gasket Width for Determining the Bolt Loads	427
4.16.4	Flange Stress Factors Equations Involving Diameter	429
4.16.5	Flange Stress Factor Equations	431
4.16.6	Moment Arms for Flange Loads for the Operating Condition	433
4.16.7	Flange Moments of Inertia	433
4.16.8	Flange Stress Equations	434
4.16.9	Flange Stress Acceptance Criteria	434
4.16.10	Flange Rigidity Criterion	435

4.16.11	Bolt Spacing Equations	436
4.16.12	Moment Factor, F_M	436
4.17.1	Flange Stress Equations	451
4.17.2	Flange Stress Acceptance Criteria	452
4.18.1	Effective Elastic Modulus and Poisson's Ratio for a Perforated Plate With an Equilateral Triangular Hole Pattern	493
4.18.2	Effective Elastic Modulus and Poisson's Ratio for a Perforated Plate With a Square Hole Pattern	494
4.18.3	Evaluation of Z_a , Z_d , Z_v , Z_w , Z_m , and F_m	494
4.18.4	Evaluation of $F_{t,min}$ and $F_{t,max}$	496
4.18.5	Flexible Shell Element Expansion Joint Load Cases and Stress Limits	496
4.18.6	Tubesheet Effective Bolt Load, W^*	497
4.18.7	Load Combinations Required to Evaluate the Heat Exchanger for the Design Condition	497
4.18.8	Load Combinations Required to Evaluate the Heat Exchanger for Each Operating Condition x ..	497
4.18.9	Load Combinations Required to Evaluate the Heat Exchanger for Each Operating Condition x ..	497
4.19.1	Maximum Design Temperatures for Application of the Rules of 4.19	525
4.19.2	Stress Calculations and Acceptability Criteria for U-Shaped Unreinforced Bellows Subject to Internal Pressure	526
4.19.3	Method to Determine Coefficient C_p	527
4.19.4	Method to Determine Coefficient C_f	528
4.19.5	Method to Determine Coefficient C_d	528
4.19.6	Allowable Number of Cycles for U-Shaped Unreinforced Bellows	529
4.19.7	Stress Calculations and Acceptability Criteria for U-Shaped Reinforced Bellows Subject to Internal Pressure	530
4.19.8	Allowable Number of Cycles for U-Shaped Reinforced Bellows	531
4.19.9	Stress Calculations and Acceptability Criteria for Toroidal Bellows Subject to Internal Pressure	532
4.19.10	Stress and Axial Stiffness Coefficients for Toroidal Bellows	533
4.19.11	Allowable Number of Cycles for Toroidal Bellows	534
4.21.1	Efficiencies for Welded and/or Expanded Tube-to-Tubesheet Joints	559
TEXP-1	Instructions for Filling Out TEPS Form	576
5.1	Loads and Load Cases to Be Considered in a Design	609
5.2	Load Combination Parameters	610
5.3	Load Case Combinations and Allowable Stresses for an Elastic Analysis	611
5.4	Load Case Combinations and Load Factors for a Limit-Load Analysis	612
5.5	Load Case Combinations and Load Factors for an Elastic-Plastic Analysis	612
5.6	Examples of Stress Classification	613
5.7	Uniaxial Strain Limit for Use in Multiaxial Strain Limit Criterion	615
5.8	Temperature Factors for Fatigue-Screening Criteria	615
5.9	Fatigue-Screening Criteria for Method A	616
5.10	Factors for Method B	616
5.11	Weld Surface Fatigue-Strength-Reduction Factors	616
5.12	Weld Surface Fatigue-Strength-Reduction Factors	617
5.13	Fatigue Penalty Factors for Fatigue Analysis	617
5.14	Load Case Combinations for Method A and Method B Buckling Analysis	618
5-A.1	Structural Stress Definitions for Continuum Finite Elements	627
5-A.2	Structural Stress Definitions for Shell or Plate Finite Elements	628
5-D.1	Stress Indices for Nozzles in Spherical Shells and Portions of Formed Heads	650
5-D.2	Stress Indices for Nozzles in Cylindrical Shells	650
5-D.3	Stress Indices for Laterals	651
5-E.1	Values of E^* for Perforated Tubesheets With an Equilateral Triangular Pattern	663
5-E.2	Values of v^* for Perforated Tubesheets With an Equilateral Triangular Pattern	663
5-E.3	Values of E^* for Perforated Tubesheets With a Square Pattern	664
5-E.4	Values of v^* for Perforated Tubesheets With a Square Pattern	664
5-E.5	Effective Elastic Modulus, Poisson's Ratio, and Shear Modulus for a Perforated Plate With a Triangular Hole Pattern	665
5-E.6	Effective Elastic Modulus, Poisson's Ratio, and Shear Modulus for a Perforated Plate With a Square Hole Pattern — Pitch Direction	666

5-E.7	Effective Elastic Modulus, Poisson's Ratio, and Shear Modulus for a Perforated Plate With a Square Hole Pattern — Diagonal Direction	667
5-E.8	Orthotropic Effective Elasticity Matrix for a Perforated Plate With an Equilateral Triangular Hole Pattern	668
5-E.9	Orthotropic Effective Elasticity Matrix for a Perforated Plate With a Square Hole Pattern	669
5-E.10	Equations for Determining Stress Components Based on the Results From an Equivalent Plate Analysis for an Equilateral Rectangular Hole Pattern	670
5-E.11	Stress Factor K_x Coefficients — Triangular Hole Pattern	671
5-E.12	Stress Factor K_y Coefficients — Triangular Hole Pattern	672
5-E.13	Stress Factor K_{xy} Coefficients — Triangular Hole Pattern	673
5-E.14	Stress Factor K_{xz} Coefficients — Triangular Hole Pattern	676
5-E.15	Stress Factor K_{yz} Coefficients — Triangular Hole Pattern	677
5-E.16	Stress Factors K_x and K_y Coefficients — Rectangular Hole Pattern	679
5-E.17	Stress Factor K_{xy} — Square Hole Pattern	680
5-E.18	Stress Factors K_{xz} and K_{yz} — Square Hole Pattern	681
5-E.19	Boundary Conditions for the Numerical Analysis (See Figure 5-E.3)	682
6.1	Equations for Calculating Forming Strains	725
6.2.A	Post-Cold-Forming Strain Limits and Heat-Treatment Requirements for P-No. 15E Materials ..	725
6.2.B	Post-Fabrication Strain Limits and Required Heat Treatment for High Alloy Materials	726
6.3	Post-Fabrication Strain Limits and Required Heat Treatment for Nonferrous Materials	727
6.4	Maximum Allowable Offset in Welded Joints	727
6.5	Welding Process Application Limitations	728
6.6	Maximum Reinforcement for Welded Joints	728
6.7	Minimum Preheat Temperatures for Welding	729
6.8	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 1, Group 1, 2, 3	730
6.9	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 3, Group 1, 2, 3	731
6.10	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 4, Group 1, 2	732
6.11	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 5A; P-No. 5B, Group 1; and P-No. 5C, Group 1	733
6.11.A	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 15E, Group 1	734
6.12	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 6, Group 1, 2, 3	735
6.13	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 7, Group 1, 2; and P-No. 8	736
6.14	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 9A, Group 1, and P-No. 9B, Group 1	737
6.15	Requirements for Postweld Heat Treatment (PWHT) of Pressure Parts and Attachments for Materials: P-No. 10A, Group 1; P-No. 10C, Group 1; P-No. 10H, Group 1; P-No. 10I, Group 1; P-No. 10K, Group 1; and P-No. 45	739
6.16	Alternative Postweld Heat Treatment Requirements	742
6.17	Postweld Heat Treatment Requirements for Quenched and Tempered Materials in Table 3-A.2	742
6.18	Quench and Tempered Steels Conditionally Exempt From Production Impact Tests	743
6.19	High Nickel Alloy Filler for Quench and Tempered Steels	744
6.20	Mandrel Radius for Guided Bend Tests for Forged Fabrication	744
6.21	U-Shaped Unreinforced and Reinforced Bellows Manufacturing Tolerances	745
6-A.9.2-1	Technical Data Sheet for PMI	758
7.1	Examination Groups for Pressure Vessels	773
7.2	Nondestructive Examination	774
7.3	Selection of Nondestructive Testing Method for Full Penetration Joints	778
7.4	Nondestructive Examination of Layered Vessels	778
7.5	NDE Techniques, Method, Characterization, Acceptance Criteria	779
7.6	Visual Examination Acceptance Criteria	779

7.7	Radiographic Acceptance Standards for Rounded Indications (Examples Only)	781
7.8	Flaw Acceptance Criteria for Welds With Thicknesses Between 6 mm ($\frac{1}{4}$ in.) and Less Than 13 mm ($\frac{1}{2}$ in.)	781
7.9	Flaw Acceptance Criteria for Welds With Thicknesses Between 13 mm ($\frac{1}{2}$ in.) and Less Than 25 mm (1 in.)	782
7.10	Flaw Acceptance Criteria for Welds With Thicknesses Between 25 mm (1 in.) and Less Than or Equal to 300 mm (12 in.)	782
7.11	Flaw Acceptance Criteria for Welds With Thicknesses Equal to or Greater Than 400 mm (16 in.)	783
7-A.1	Inspection and Examination Activities and Responsibilities/Duties	804

FORMS

A-1	Manufacturer's Data Report for Pressure Vessels	31
A-1P	Manufacturer's Data Report for Plate Heat Exchangers	34
A-2	Manufacturer's Partial Data Report	36
A-3	Manufacturer's Data Report Supplementary Sheet	39
A-3L	Manufacturer's Data Report Supplementary Sheet	40
A-4	Manufacturer's Data Report Supplementary Sheet Shell-and-Tube Heat Exchangers	41
4.19.1	Metric Form Specification Sheet for ASME Section VIII, Division 2 Bellows Expansion Joints, Metric Units	546
4.19.2	U.S. Customary Form Specification Sheet for ASME Section VIII, Division 2 Bellows Expansion Joints, U.S. Customary Units	547
TEXP-1	Tube Expanding Procedure Specification (TEPS)	574
TEXP-2	Suggested Format for Tube-to-Tubesheet Expanding Procedure Qualification Record for Test Qualification (TEPQR)	578

LIST OF SECTIONS

(23)

SECTIONS

- I Rules for Construction of Power Boilers
- II Materials
 - Part A — Ferrous Material Specifications
 - Part B — Nonferrous Material Specifications
 - Part C — Specifications for Welding Rods, Electrodes, and Filler Metals
 - Part D — Properties (Customary)
 - Part D — Properties (Metric)
- III Rules for Construction of Nuclear Facility Components
 - Subsection NCA — General Requirements for Division 1 and Division 2
 - Appendices
 - Division 1
 - Subsection NB — Class 1 Components
 - Subsection NCD — Class 2 and Class 3 Components
 - Subsection NE — Class MC Components
 - Subsection NF — Supports
 - Subsection NG — Core Support Structures
 - Division 2 — Code for Concrete Containments
 - Division 3 — Containment Systems for Transportation and Storage of Spent Nuclear Fuel and High-Level Radioactive Material
 - Division 4 — Fusion Energy Devices
 - Division 5 — High Temperature Reactors
- IV Rules for Construction of Heating Boilers
- V Nondestructive Examination
- VI Recommended Rules for the Care and Operation of Heating Boilers
- VII Recommended Guidelines for the Care of Power Boilers
- VIII Rules for Construction of Pressure Vessels
 - Division 1
 - Division 2 — Alternative Rules
 - Division 3 — Alternative Rules for Construction of High Pressure Vessels
- IX Welding, Brazing, and Fusing Qualifications
- X Fiber-Reinforced Plastic Pressure Vessels
- XI Rules for Inservice Inspection of Nuclear Reactor Facility Components
 - Division 1 — Rules for Inspection and Testing of Components of Light-Water-Cooled Plants
 - Division 2 — Requirements for Reliability and Integrity Management (RIM) Programs for Nuclear Reactor Facilities
- XII Rules for Construction and Continued Service of Transport Tanks
- XIII Rules for Overpressure Protection

FOREWORD*

In 1911, The American Society of Mechanical Engineers established the Boiler and Pressure Vessel Committee to formulate standard rules for the construction of steam boilers and other pressure vessels. In 2009, the Boiler and Pressure Vessel Committee was superseded by the following committees:

- (a) Committee on Power Boilers (I)
- (b) Committee on Materials (II)
- (c) Committee on Construction of Nuclear Facility Components (III)
- (d) Committee on Heating Boilers (IV)
- (e) Committee on Nondestructive Examination (V)
- (f) Committee on Pressure Vessels (VIII)
- (g) Committee on Welding, Brazing, and Fusing (IX)
- (h) Committee on Fiber-Reinforced Plastic Pressure Vessels (X)
- (i) Committee on Nuclear Inservice Inspection (XI)
- (j) Committee on Transport Tanks (XII)
- (k) Committee on Overpressure Protection (XIII)
- (l) Technical Oversight Management Committee (TOMC)

Where reference is made to “the Committee” in this Foreword, each of these committees is included individually and collectively.

The Committee’s function is to establish rules of safety relating only to pressure integrity, which govern the construction** of boilers, pressure vessels, transport tanks, and nuclear components, and the inservice inspection of nuclear components and transport tanks. The Committee also interprets these rules when questions arise regarding their intent. The technical consistency of the Sections of the Code and coordination of standards development activities of the Committees is supported and guided by the Technical Oversight Management Committee. This Code does not address other safety issues relating to the construction of boilers, pressure vessels, transport tanks, or nuclear components, or the inservice inspection of nuclear components or transport tanks. Users of the Code should refer to the pertinent codes, standards, laws, regulations, or other relevant documents for safety issues other than those relating to pressure integrity. Except for Sections XI and XII, and with a few other exceptions, the rules do not, of practical necessity, reflect the likelihood and consequences of deterioration in service related to specific service fluids or external operating environments. In formulating the rules, the Committee considers the needs of users, manufacturers, and inspectors of pressure vessels. The objective of the rules is to afford reasonably certain protection of life and property, and to provide a margin for deterioration in service to give a reasonably long, safe period of usefulness. Advancements in design and materials and evidence of experience have been recognized.

This Code contains mandatory requirements, specific prohibitions, and nonmandatory guidance for construction activities and inservice inspection and testing activities. The Code does not address all aspects of these activities and those aspects that are not specifically addressed should not be considered prohibited. The Code is not a handbook and cannot replace education, experience, and the use of engineering judgment. The phrase *engineering judgment* refers to technical judgments made by knowledgeable engineers experienced in the application of the Code. Engineering judgments must be consistent with Code philosophy, and such judgments must never be used to overrule mandatory requirements or specific prohibitions of the Code.

The Committee recognizes that tools and techniques used for design and analysis change as technology progresses and expects engineers to use good judgment in the application of these tools. The designer is responsible for complying with Code rules and demonstrating compliance with Code equations when such equations are mandatory. The Code neither requires nor prohibits the use of computers for the design or analysis of components constructed to the

* The information contained in this Foreword is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI’s requirements for an ANS. Therefore, this Foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the Code.

** *Construction*, as used in this Foreword, is an all-inclusive term comprising materials, design, fabrication, examination, inspection, testing, certification, and overpressure protection.